Z-NOTE Z-NOTE

Z-NOTE

This chapter covers the following topics:

- Description
- Parameters
- Return Codes
- Subprograms
- Example

Description

Maintain notepad pages.

The following functions are available:

- Add, modify, display or erase a notepad page.
- Attach a notepad page to a document, appointment or meeting (supply parameters Object-number, Command as either A or M, and either parameter Document-name or Object-ISN).

To get the ISN of an appointment or meeting to which notes are attached, you can invoke Z-GET06B prior to this subprogram.

To display a list of notepad pages, you can invoke Z-DIS20 prior to this subprogram.

A note can contain up to 10 lines of text. The content of the edit area is not changed.

Z-NOTE Parameters

Parameters

| Parameter | Format | In | Out | Remarks |
|---------------|----------|----|-----|---|
| Return-code | N2 | О | X | Input -1: no ET. |
| Cabinet | A8 | R | | The cabinet in which the note is (to be) stored. |
| Password | A8 | R | | The password of the above cabinet. |
| Command | A1 | R | | Must be one of the following: A=add, M=modify, D=display, E=erase. |
| Note-subject | A32 | R* | | The subject of the note. Either Note-subject or Note-ISN, not both. |
| Note-ISN | P10 | R* | X | The ISN of the note. Input: either Note-ISN or Note-subject, not both. If you specified A in the Command parameter, you must not specify an ISN. Output: the ISN is returned for commands A, M and D. |
| Object-number | N2 | О | | The type of object to which the note is attached. Must be one of the following: 3=appointment, 11=document, 16=meeting. |
| Document-name | A32 | O* | | Pertains only to attaching (Command A or M) a notepad page to a document (Object-number 11). Name of the document to which the note is (to be) attached. Either Document-name or Object-ISN, not both. |
| Object-ISN | P10 | O* | | Pertains only to attaching (Command A or M) a notepad page. ISN of the document, appointment or meeting (Object-number 3,11 or 16) to which the note is (to be) attached. Either Object-ISN or Document-name, not both. |
| Note-text | A37/1:10 | R | X | Input of the note text for Command A or M. Output for Command D. |

Return Codes Z-NOTE

Return Codes

| 00 | Success | | | |
|----|---|--|--|--|
| 02 | Invalid cabinet name | | | |
| 03 | Password incorrect | | | |
| 04 | ISN was not found | | | |
| 08 | Supply either ISN or name, not both (here: Note-subject or Note-ISN) | | | |
| 09 | ISN does not point to correct object | | | |
| 13 | Invalid object number | | | |
| 51 | Invalid name - Note-subject must not be blank | | | |
| 53 | Requested object does not exist | | | |
| 59 | Requested procedure not found | | | |
| 90 | Subject of note must not consist of noisewords only | | | |
| 91 | Note cannot be attached to a document when Command E or D | | | |
| 92 | Notepad text lines must not be blank when Command A or M | | | |
| 93 | Document, meeting or appointment was not found | | | |
| 94 | ISN of document, meeting or appointment was not found | | | |
| 95 | ISN does not point to a document, meeting or appointment | | | |
| 96 | Supply either Document-name or Object-ISN, not both | | | |
| 97 | Note-ISN is not allowed when Command A | | | |
| 98 | 25 notes have already been attached to document, meeting or appointment | | | |
| 99 | Note subject is not unique in the cabinet | | | |

${\bf Subprograms}$

- Z-120
- Z-122
- Z-135
- Z-175
- Z-190
- Z-711

Z-NOTE Example

Example

```
0010 *
0020 *
        Example program to add and attach a notepad page.
0030 *
0040 DEFINE DATA
0050 LOCAL
0060 1 RETURN-CODE
                      (N2)
0070 1 CABINET
0080 1 PASSWORD
                      (A8)
0090 1 COMMAND ...
0100 1 NOTE-SUBJECT (A32)
... TSN (P10)
                    (A37/1:10)
0120 1 NOTE-TEXT
0130 1 OBJECT-NUMBER (N2)
0140 1 DOCUMENT-NAME (A32)
                   (P10)
0150 1 OBJECT-ISN
0160 *
0170 *
0180 END-DEFINE
0190 *
0200 RESET RETURN-CODE
0210 MOVE 'CABINET ' TO CABINET
0220 MOVE 'PASSWORD' TO PASSWORD 0230 MOVE 'A' TO COMMAND
                                         /* A=add
0240 MOVE 'NOTE SUBJECT'TO NOTE-SUBJECT
0250 MOVE '11' TO OBJECT-NUMBER /* 11=document
0260 MOVE 'DOCUMENT NAME' TO DOCUMENT-NAME
0270 MOVE 'NOTE TEXT 1st STRING' TO NOTE-TEXT(1)
0280 MOVE 'NOTE TEXT 2nd STRING' TO NOTE-TEXT(2)
0290 *
0300 CALLNAT 'Z-NOTE'
0310 RETURN-CODE
0320 CABINET
0330 PASSWORD
0340 COMMAND
0350 NOTE-SUBJECT
0360 NOTE-ISN
0370 OBJECT-NUMBER
0380 DOCUMENT-NAME
0390 OBJECT-ISN
0400 NOTE-TEXT(*)
0410 *
0420 IF RETURN-CODE EQ 0
     WRITE 'Note entered and attached to document'
0440 ELSE
0450 WRITE 'Return code ' RETURN-CODE
0460 END-IF
0470 END
```